Sundhedsområdet - tjek om din artikel bliver læst

Scopus

https://www.ucnbib.dk/da/side/scopus

1. Søg publikationen frem fx på titel:

Start exploring

Discover the most reliable, relevant, up-to-date research. All in one place.



2. Gå ind på publikationen. Her kan antallet af citationer aflæses og du kan sætte en alert, så du får besked, når der kommer en ny citation til:



3. Du kan klikke ind på *View all citing documents* og få en samlet oversigt over, hvilke publikationer der har anvendt din artikel.

72 documents have cited:

Fall risk in an active elderly population - Can it be assessed? Laessoe U., Hoeck H.C., Simonsen O., Sinkjaer T., Voigt M. (2007) Journal of Negative Results in BioMedicine, 6 , art. no. 2

Search within results	Q	00 Anal	yze search results	Show all abstracts	Sort on	: Date (newest)	~		
Refine results			 Export Download View citation overview View cited I 	by Add to List 🚥 🛱 🛛	3				
Limit to Exclude			Document title	Authors	Year	Source	Cited by		
Open Access	^		Clobal provalence of falls in the older adults: a comprehensive	Salari N. Dapyishi N	2022	Journal of Orthonaedic	0		
All Open Access	(38) >		systematic review and meta-analysis	Ahmadipanah, M., Shohaimi, S., Mohammadi, M.	2022	Surgery and Research	0		
Gold	(19) >		open Access	monannadi, m.		1/(1),554			
Hybrid Gold	(4) >	*	View abstract \checkmark Uco \rightarrow View at Publisher Related documents						
Bronze	(8) >		Improved screening of fall risk using free living based	Kally D. Condell I. Cillesnia I	2022	Journal of Piomodical	0		
Green	(25) >	L 2	accelerometer data	(), Åkerlund Larsson, M.,		Informatics	0		
Learn more			Open Access	АГАГПАКІ, А.		131,104116			
Year	^		View abstract ✓ UCn → View at Publisher Related do	ocuments					
2022	(4) >	3	The Performance Assessment of Self-Care Skills to Predict	Grenier, A., Viscogliosi, C., Delli-	2022	Canadian Journal of	0		
2021	(1) >		Adverse Events Post-Discharge [L'utilisation de l'outil Performance Assessment of Self-Care Skills pour prédire les	Colli, N., (), Lemieux- Courchesne, AC., Provencher,		Occupational Therapy 89(2), pp. 190-200			
2020	(5) >		événements indésirables après le congé d'hôpital]	V.					
2019	(3) >		View abstract 🗸 🛛 uCn 🔿 View at Publisher Related documents						
2018	(8) >								
View more		4	Balance, physical conditioning, and health perception in elderly women submitted to a 32-week physical exercise program	De Souza Vale, R.G., Guimarães,	2022	Biomedical Human Kinetics	0		
Author name	^		Open Access	J.B.P., Dantas, E.H.M.					
Demura, S.	(4) >		View abstract ✓ UCn → View at Publisher Related do	ocuments					
Adverse hallely ad	$\langle a \rangle >$								

Google Scholar

https://scholar.google.com/

1. Søg titlen frem i Google Scholar

Google Scholar

fall risk in an active elderly population - can it be assessed

Q

Stå på skuldrene af giganter

2. Nederst i posten er der angivet, hvor mange der har citeret din artikel:

Når som helst Siden 2022 Siden 2021 Siden 2018 Tilpasset interval...

Sorter efter relevans Sorter efter dato

Alle typer Oversigtsartikler [HTML] Fall risk in an active elderly population—can it be assessed? <u>U Laessoe</u>, HC Hoeck, O Simonsen... - Journal of negative ..., 2007 - jnrbm.biomedcentral.com Falls amongst elderly people are often associated with fractures. Training of balance and physical performance can reduce fall risk; however, it remains a challenge to identify individuals at increased risk of falling to whom this training should be offered. It is believed that fall risk can be assessed by testing balance performance. In this study a test battery of physiological parameters related to balance and falls was designed to address fall risk in a community dwelling elderly nonulation. Ninety-four elderly males and females between 70 ... ☆ Gem 99 Citer Citeret af 154 Relaterede artikler Alle 27 versioner ≫

Viser det bedste resultat for søgningen. Se alle resultater

3. Hvis du klikker på Citeret af 154 vil få en liste over, hvilke publikationer der har citeret din artikel:

•	Artikler	Ca. 154 resultater (0,02 sek.)	
	Når som helst Siden 2022 Siden 2021 Siden 2018 Tilpasset interval	Fall risk in an active elderly population–can it be assessed? Søg i artikler, der citerer Kinematic measures for assessing gait stability in elderly individuals: a systematic review	[HTML] royalsocietypublishing.org
	Sorter efter relevans Sorter efter dato	D Hamacher, <u>NB Singh</u> Journal of The, 2011 - royalsocietypublishing.org Falls not only present a considerable health threat, but the resulting treatment and loss of working days also place a heavy economic burden on society. Gait instability is a major fall	
	Opret underretning	☆ Gem 99 Citer Citeret af 393 Relaterede artikler Alle 12 versioner	
		tHTMLJ REVIEW Of Tall risk assessment in geriatric populations using inertial sensors <u>J Howcroft</u> , J Kofman, <u>ED Lemaire</u> - Journal of neuroengineering and, 2013 - Springer Falls are a prevalent issue in the geriatric population and can result in damaging physical and psychological consequences. Fall risk assessment can provide information to enable ☆ Gem 90 Citer Citeret af 372 Relaterede artikler Alle 24 versioner ≫	[HTML] springer.com Full View
		[HTML] Tools for assessing fall risk in the elderly: a systematic review and meta- analysis SH Park - Aging clinical and experimental research, 2018 - Springer The prevention of falls among the elderly is arguably one of the most important public health issues in today's aging society. The aim of this study was to assess which tools best predict ☆ Gem 99 Citer Citeret af 286 Relaterede artikler Alle 8 versioner	[HTML] springer.com Full View
		Association between short physical performance battery and falls in older people: the Progetto Veneto Anziani Study <u>N Veronese</u> , F Bolzetta, ED Toffanello Rejuvenation, 2014 - liebertpub.com It is known that weakness in the lower limbs is associated with recurrent falls in old people. Among the tests routinely used to assess lower extremity strength, the Short Physical	[HTML] nih.gov

☆ Gem 50 Citer Citeret af 166 Relaterede artikler Alle 9 versioner

Semantic Scholar

https://www.semanticscholar.org/

1. Søg titlen frem i Semantic Scholar

SEMANTIC SCHOLAR A free, Al-powered research tool for scientific literature	
fall risk in an active elderly population - can it be assessed	Search Q
Try: Nadine McQuarrie • Machine Translation • Knot Theory	

2. I den første visning kan du se, at der er 124, der har citeret din artikel, hvoraf 1 rankes som Highly Influential Citation.

Study v Date Range v Has PDF Sort n an active elderly population - can it be assessed? H. C. Hoeck, O. Simonsen, T. Sinkjaer, M. Volgt · Medicine · Journal of Negative Results in BioMedicine · 26 January 2007 St battery of physiological parameters related to balance and falls was designed to address fall risk in a / dwelling elderly population and individuals with poor balance were identified but falls were not predicted by ittery.Expand 8 PDF View on Springer Save	by Relevance	~	Ξ	-
n an active elderly population – can it be assessed? H. C. Hoeck, O. Simonsen, T. Sinkjaer, M. Voigt · Medicine · Journal of Negative Results in BioMedicine · 26 January 2007 ist battery of physiological parameters related to balance and falls was designed to address fall risk in a (dwelling elderly population and individuals with poor balance were identified but falls were not predicted by ittery.Expand @ PDF · 🖾 View on Springer 🗮 Save 🔺 Alert 📫 Cite				
H. C. Hoeck, O. Simonsen, T. Sinkjaer, M. Volot - Medicine - Journal of Negative Results in BioMedicine - 26 January 2007 ist battery of physiological parameters related to balance and falls was designed to address fall risk in a y dwelling elderly population and individuals with poor balance were identified but falls were not predicted by ittery. Expand @ PDF - @ View on Springer Save Alert Cite				
attery. Expand a PDF · 🖾 View on Springer 🗮 Save 🌲 Alert 💴 Cite				
Citations				
ghly Influential Citation				
- I de la				
09 12 15 18 21				

3. Klikker du ind på posten for artiklen vil du få vist en liste over de publikationer, der har citeret din artikel og her kan du se hvordan de rangeres:

: 10.1186/1477-5751-6-2 · Corpus ID: 5977479			Share This Paper 🔽 🗗 🔗 🖂
all risk in an activ	e elderly population	– can it	
e assessed? <u>aessoe, H. C. Hoeck</u> , +2 authors <u>M. Voigt</u> • Pri rnal of Negative Results in Biomedicine ckgroundFalls amongst elderly people are formance can reduce fall risk; however, it whom this training should be offered. It is	ublished 26 January 2007 • Medicine • often associated with fractures. Training of b remains a challenge to identify individuals at i believed that fall risk can be assessed by test	alance and physical ncreased risk of falling ing balance	124 Citations Highly Influential Citations Background Citations Methods Citations Results Citations 4
formance. In this study a test battery of p dress fall risk in a community dwelling eld	hysiological parameters related to balance an erly Expand	d falls was designed to	View All
✓ View on Springer ∂ jnrbm.biom	edcentral.com 🗸 🖡 Save to Library 🌲	Create Alert 66 Cite	
Abstract	124 Citations	55 References	Related Papers
Assessing gait and balance impait A. Borowicz, Ewa Zasadzka, A. Gaczkowska, TLDR TUG and POMA were the most of performed for more precise assessme (£22) PDF · R Save Alert	rment in elderly residents of nursing ho Diga Gawłowska, M. Pawłaczyk · Medicine · Journ Jseful screening tests for balance and gait imp nt of the risk of falling. Expand	mes al of physical therapy science · 2016 pairment in elderly nursing home residen	ts, and two or more tests should be
Preventing falls in older people.	Roval College of Nursing (Great Britain) : 1987) + 201	5	
TLDR There is insufficient evidence for for acceptability is required, followed b Expand (66 17) (PDF) • The Save Alert	r health care commissioners to recommend s y a further adequately powered RCT to determ	creening and intervention for falls, and w ine the clinical effectiveness of a system	ork on testing falls prevention interventions natic screening programme and intervention.
Association between Short Physic N. Veronese, F. Bolzetta, +9 authors E. Man	cal Performance Battery and falls in old zato • Medicine • Rejuvenation research • 2014	er people: the Progetto Veneto Anzi	ani Study.
TLDR It is demonstrated that SPPB sc identifies subjects at a higher likelihoo	ores ≤6 are associated with a higher fall rate i d of being recurrent fallers.Expand	n old people of both genders; in females,	even an SPPB score between 7 and 9
66 110 ∂ PDF ·	tes background 📕 Save 🌲 Alert		
Examination of useful items for th	ne assessment of fall risk in the commu	nity-dwelling elderly Japanese popu	Ilation
TLDR Based on the results, the select function comprised items of different l	ed items can comprehensively assess the fall evels of difficulty, and these are able to gradua	risk of a healthy elderly Japanese popula illy and comprehensively assessment ph	tion and the assessment items for physical ysical function. Expand
🔓 16 🕞 📕 Save 🌲 Alert			

4. På Semantic Scholar er det også muligt at få vist, hvem en bestemt forsker citerer og hvem der citerer forskeren.

Start med at søge den pågældende forsker frem. Hvis forfatteren skriver på flere sprog, vil der blive vist flere profiler. I nedenstående eksempel vises den engelske profil.

- Hvem citerer forskeren: Klik på Citing Authors
- Hvem forskeren citerer: klik på Referenced Authors
- Forskerens medforfattere: Klik på Co-Authors

		Publica	tions	Citing Auth	ors R	eferenced Au	thors (Co-Authors
U. Laessoe		Search authors	s, put Q	Co-Author 🗸	Has PDF M	ore Filters	Sort by Most Influ	Je ~ = =
Publications h-index Citations	38 14 993	Efficacy of N community-d	intendo Wii welling old	training on me er adults: a rar	echanical leg ndomized cor	muscle fun ntrolled trial	ction and postu	ıral balance ir
Highly Influential Citations	44	M. Jorgensen	U. Laessoe	C. Hendriksen	O. Nielsen	P. Aagaard	Medicine ·	
nging initiaental entatione		The journals of g	erontology. Sei	ries A, Biological	· 1 July 2013			
Follow Author Claim Author Page		TLDR Biofeed (maximal volur community-dw	back-based V ntary contrac elling older a	Vii training led to tion; rate of forc dults. Expand	o marked impro e development	ovements in n) and overall	naximal leg muso functional perfor	ele strength mance in
		66 205 🥊 13	PubMed	Save Alert	66 Cite			
Author pages are created from day sourced from our academic sho	ta w more	Incidence an	d epidemiol	ogy of tibial sl	naft fractures	5.		
		P. Larsen R.	Elsøe Sand	ra Hope Hansen	T. Graven-Niels	en U. Laess	oe S. Rasmusse	Medicine
		Injury · 1 April 2	015					